### **HIV/AIDS Surveillance Quarterly Report**



Cases to June 30, 2002



AIDS Data: As of June 30, 2002, a cumulative total of 2,643 AIDS cases have been reported to the HIV/AIDS Surveillance Program, Department of Health. Of these, 1,503 (57%) are known dead. A total of 154 cases have been reported since July 2001 (one-year period), of which 70 cases are in Honolulu County, 41 in Hawaii County, 28 in Maui County, and 15 in Kauai County. AIDS data are detailed on pages 2-4.

<u>HIV Data:</u> Since the first HIV case (non-AIDS) was reported in September 2001, a cumulative total of 420 of HIV cases have been reported to the Department of Health. HIV data at this time are incomplete so details are not yet available.

# IDU-Related AIDS Cases in Hawaii, 1983-June 2002

A person sharing used syringes is at high risk for HIV infection. This behavior places not only the individuals sharing at risk but also on his/her sexual partners and the children, who are born to injection drug using mothers or mothers having injection drug user partners.


As of June 30, 2002, a cumulative total of 424 AIDS cases related to injection drug user (IDU) have been reported in Hawaii, which accounts for 16% of total Hawaii AIDS cases. Of these, 187 are IDU, 177 are men who have sex with men and inject drugs (MSM/IDU), 54 are heterosexual and 6 are IDU mothers or mothers with IDU partners (Figure 1).


Of 424 IDU-related AIDS cases, 329 are males and 95 females. IDU-related AIDS cases account for 52.5% of cumulative female AIDS cases (Figure 2), and for 13.4% of cumulative male AIDS cases.


Almost half (208, 49.1%) of IDU-related cases are diagnosed with AIDS at ages 30-39, followed by 122 cases (28.8%) at ages 40-49, 65 cases (15.3%) at ages 20-29, 23 cases (5.4%) at ages over 49 and 6 cases (1.4%) at ages under 20.

IDU-related AIDS accounts for 28.8% of cumulative AIDS cases among African Americans (Figure 3), followed by 24.1% among Hispanics, 17.5% among Hawaiians, 15.1% among Whites, 12.3% among Filipinos, and 13.3% among other (other Asian and Pacific Islanders and American Indians).

Most of IDU-related AIDS are reported in Honolulu County (67.3%, 282 cases), followed by Hawaii County (19.3%, 81 cases), Maui County (10.0%, 42 cases) and Kauai County (3.3%, 14 cases).








### Hawaii AIDS Cases, Reported through June 30, 2002

Year of Report		1983-1996		1997		1998		1999		2000		2001		2002		TOTAL	
Cases by Year of Report		1,980		98		164	4	103		109		127		62		2,6	43
Rate per 100,000 Population *		N/A		8.2		13.8		8.7		9.0		10.5		N/A		N/A	
Demographics/Risk		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
s	Male	1,871	(94)	87	(89)	147	(90)	95	(92)	94	(86)	112	(88)	56	(90)	2,462	(93)
S E X	Female	109	(6)	11	(11)	17	(10)	8	(8)	15	(14)	15	(12)	6	(10)	181	(7)
	<13	14	(1)	0	(0)	1	(1)	0	(0)	1	(1)	0	(0)	0	(0)	16	(<1)
Α	13-19	5	(<1)	1	(1)	1	(1)	0	(0)	1	(1)	0	(0)	0	(0)	8	(<1)
G E	20-29	283	(14)	5	(5)	13	(8)	5	(5)	8	(7)	11	(9)	2	(3)	327	(12)
	30-39	875	(44)	44	(45)	80	(49)	44	(43)	36	(33)	54	(43)	26	(42)	1,159	(44)
	40-49	591	(30)	30	(31)	48	(29)	39	(38)	42	(39)	37	(29)	22	(35)	809	(31)
	>49	212	(11)	18	(18)	21	(13)	15	(15)	21	(19)	25	(20)	12	(19)	324	(12)
	Caucasian	1,288	(65)	46	(47)	98	(60)	64	(62)	61	(56)	80	(63)	34	(55)	1,671	(63)
R A	Asian/Pacific Islander	508	(26)	43	(44)	41	(25)	27	(26)	39	(36)	34	(27)	21	(34)	713	(27)
C E	African-American	81	(4)	3	(3)	9	(5)	7	(7)	4	(4)	3	(2)	3	(5)	110	(4)
	Hispanic	95	(5)	6	(6)	13	(8)	5	(5)	5	(5)	9	(7)	4	(6)	137	(5)
	American Indian/Alaskan	8	(<1)	0	(0)	3	(2)	0	(0)	0	(0)	1	(1)	0	(0)	12	(<1)
	Male to Male Sex	1,543	(78)	67	(68)	117	(71)	71	(69)	69	(63)	84	(66)	40	(65)	1,991	(75)
	Injection Drug Use	128	(6)	10	(10)	21	(13)	6	(6)	8	(7)	9	(7)	6	(10)	188	(7)
R I	Male/Male Sex & IDU	148	(7)	5	(5)	5	(3)	8	(8)	4	(4)	2	(2)	3	(5)	175	(7)
s K	Female Heterosexual	57	(3)	8	(8)	8	(5)	3	(3)	8	(7)	5	(4)	2	(3)	91	(3)
'`	Male Heterosexual	26	(1)	3	(3)	4	(2)	5	(5)	3	(3)	4	(3)	2	(3)	47	(2)
	Transfusion	19	(1)	2	(2)	2	(1)	1	(1)	0	(0)	0	(0)	3	(5)	27	(1)
	Perinatal	11	(<1)	0	(0)	1	(1)	0	(0)	1	(1)	0	(0)	0	(0)	13	(<1)
	Hemophiliac	17	(<1)	1	(1)	1	(1)	0	(0)	0	(0)	1	(1)	0	(1)	20	(<1)
	Undetermined	31	(2)	2	(2)	5	(3)	9	(9)	16	(15)	22	(17)	6	(10)	91	(3)

 $Each \textit{ year's estimated population from The State of Hawaii Data Book 1999, http://www.hawaii.gov./dbedt/ and \textit{U.S.Census, http://www.census.gov/population/cen2000.} \\$ 

AIDS Surveillance Program, 3627 Kilauea Avenue Room 306, Honolulu, Hawaii 96816, (808) 733-9010, 733-9015 (Fax) Http://www.state.hi.us/doh/resource/comm\_dis/std\_aids/aids\_rep/

## County Report Cumulative Cases (1983- June 30, 2002)



County Hawai`i Co. Honolulu Co. Maui Co. Kaua'i Co Statewide Cum.Total 5-Year Cum.Total 5-Year Cum.Total 5-Year Cum.Total 5-Year Cum.Total 5-Year No. (%) No. (%) No. (%) (%) No. (%) N (%) No. (%) N (%). N (%) No. No. (%) S Male 379 (91)1,770 (94)68 (79) 322 (89) 84 (92) 259 (95) 30 (91)111 (93) 561 (89)2,462 (93)Ε Female 38 (9)119 (6)18 (21) 40 (11) 7 (8) 14 (5) 3 (9) 8 (7) 66 (11) 181 (7)

Cumulative Hawai`i AIDS cases reported 1983 to June 30, 2002 2,643

Undetermined  Total Cases		39 <b>41</b>	(9) <b>7</b>	64 <b>1.88</b>	(3) 8 <b>9</b>	10 <b>8</b>	(12) <b>6</b>	13 <b>362</b>	(4)	7 9′	(8) 1	9 <b>27</b>	(3) <b>3</b>	3	(12) <b>3</b>	5 11	(4) 9	60 <b>62</b>	(10) <b>7</b>	91 <b>2.6</b> 4	(3) <b>13</b>
	Hemophiliac	2	(<1)		(1)	0	(0)	4	(1)	0	(0)	2	(1)	0	(0)	0	(0)	2	(<1)	20	(<1)
K	Perinatal	2	(<1)	11	(1)	0	(0)	2	(1)	0	(0)	0	(0)	0	(0)	0	(0)	2	(<1)	13	(<1)
l s	Transfusion	5	(1)	21	(1)	2	(2)	3	(1)	1	(1)	1	(<1)	0	(0)	2	(2)	8	(1)	27	(1)
R	Heterosexual Contact	32	(8)	90	(5)	13	(15)	30	(8)	4	(4)	11	(4)	1	(3)	7	(6)	50	(8)	138	(5)
	Male/Male Sex & IDU	21	(5)	120	(6)	4	(5)	29	(8)	2	(2)	24	(9)	1	(3)	4	(3)	28	(4)	177	(7)
	Injection Drug Use	36	(9)	126	(7)	10	(12)	39 (	(11)	5	(5)	13	(5)	4	(12)	9	(8)	55	(9)	187	(7)
	Male to Male Sex	280	(67)	1,443	(76)	47	(55)	242 (	(67)	72	(79)	213	(78)	23	(70)	92	(77)	422	(67)	1,990	(75)

07/1997- 06/2002 N and (%)	417 (67)	86 (14)	91 (15)	33 (5)	627 (100)
Cumulative cases and (%)	1,889 (71)	362 (14)	273 (10)	119 (5)	2,643 (100)
2000 population (%)	(72)	(12)	(11)	(5)	1,211,537 (100)

1,503(56.9%)

Known Deaths

#### AIDS Cases by Race/Ethnicity Reported from June 1997 to July 2002

	_							<b>.</b>			/54			۵		۲.		۰.		_	
Race/Ethnicity		Cauca	Caucasian African American		Hispanic		American Indian		Hawaiian/Pt. Haw.		Filipino		Chinese		Japanese		Other A/PIs		Total		
		No.	(%)	No.	(%)	No.	. (%)	No	o. (%)	No.	(%)	No.	. (%)	No.	(%)	No.	. (%)	No.	(%)	No.	(%)
5-year average annual rate per 100,000 <sup>1</sup>		15.2 16.2		9.4		N/A		10.7		5.1		4.1		2.3		1.9		10.4			
5 Year Cases (%)		362	(58)	27	(4)	41	(7)	4	(<1)	74	(12)	43	3 (7)	14	(2)	28	3 (4)	34	(5)	627	(100)
Cumulative Cases (%)		1,671	(63)	111	(4)	137	(5)	12	(<1)	285	(11)	138	3 (5)	57	(2)	118	3 (4)	114	(4)	2,643	3(100)
s	Male	335	(93)	22	(82)	35	(85)	4	(100)	64	(86)	35	(81)	13	(93)	26	(93)	27	79)	561	(89)
E	Female	27	(7)	5	(18)	6	(15)	0	(0)	10	(14)	8	(19)	1	(7)	2	(7)	7	(21)	66	(11)
	Male to Male Sex	258	(71)	11	(41)	25	(61)	3	(75)	50	(68)	28	(65)	10	(71)	19	(68)	18	(53)	422	(67)
	Injection Drug Use	29	(8)	7	(26)	6	(15)	0	(0)	3	(4)	2	(5)	2	(14)	1	(4)	5	(15)	55	(9)
R	Male/Male Sex & IDU	19	(5)	1	(4)	1	(2)	1	(25)	3	(4)	1	(2)	0	(0)	2	(7)	0	(0)	28	(4)
١	Heterosexual	17	(5)	4	(15)	6	(15)	0	(0)	7	(9)	6	(14)	2	(14)	2	(7)	6	18)	50	(8)
S	Transfusion	4	(1)	0	(0)	0	(0)	0	(0)	2	(3)	1	(2)	0	(0)	0	(0)	1	(3)	8	(1)
K	Perinatal	1	(0)	0	(0)	0	(0)	0	(0)	1	(1)	0	(0)	0	(0)	0	(0)	0	(0)	2	(<1)
	Hemophiliac	2	(1)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	0	(0)	2	(<1)
	Undetermined	32	(9)	4	(15)	3	(7)	0	(0)	8	(11)	5	(12)	0	(0)	4	(14)	4	(12)	60	(10)
5-Year Cases		362 (	100)	27 (	(100)	41	(100)	4	(100)	74	(100)	43	(100)	14(	(100)	28	(100)	34 (	(100)	627	(100)

<sup>12000</sup> and 1990 population, U.S. Census

**Reporting Requirement.** AIDS case reporting is required by Hawai' i Revised Statutes (HRS) §325-2 and Hawaii new Administrative Rules §11-156-3 for low CD4 values (<200 µl/ml or <14% of total lymphocytes). Reporting by name is required at the time a person is diagnosed with AIDS as defined by the Centers for Disease Control and Prevention (revised in January 1993). HIV case reporting by Unnamed Test Code (UTC) is required by Hawaii Administrative Rules §11-156-8.8 & 8.9., which took effect on August 27, 2001. Information is collected for the advancement of epidemiologic knowledge and handled in strictest confidence in accordance with HRS §325-101. Names and other identifiers are not released. Those required to report include physicians, nurses, infection control practitioners, medical directors, and hospitals.

Questions regarding forms, reporting requirements, or this report may be directed to the AIDS Surveillance Program at (808) 733-9010, (808) 733-9015 (fax), or qsandy@lava.net (e-mail).